



ACTIVE<sup>+</sup>

# TREBLE

## LOW DOSE TRIPLE COMBINATION DRENCH

Triple combination drench for sheep and cattle  
offering best practice solution for drench  
resistance management.



**ACTIVE +3**

Active Ingredients: 2g/L Abamectin, 45.3g/L Oxfendazole, 80.0g/L Levamisole HCL with 5g/L Cobalt & 1g/L Selenium.

**ABAMECTIN  
OXFENDAZOLE  
LEVAMISOLE**

**USE ON:  
SHEEP  
CATTLE**



**MANAGEMENT OF:  
INTERNAL PARASITES**

# TREBLE

## LOW DOSE TRIPLE COMBINATION DRENCH

Active Ingredients: 2g/L Abamectin, 45.3g/L Oxfendazole, 80.0g/L Levamisole HCL with 5g/L Cobalt & 1g/L Selenium.



### BENEFITS

- Convenient low dose combination drench.
- For the management of internal parasites in sheep and cattle.
- White/ML/Clear combination plus Selenium and Cobalt.
- 1ml/10Kg dose rate for both sheep and cattle.
- Aids in the supplementation of Selenium and Cobalt.
- Ideal quarantine drench.
- Developed in New Zealand for New Zealand.

### ADMINISTRATION

**By law the user must take due care, obtaining expert advice if necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.**

SHAKE WELL BEFORE USE.

A representative sample of animals should be weighed before treatment. Dose rate to be based on the heaviest animal in each group. Do not underdose. Where there is a large variation in size within the group, dose rate should be based on the label directions for each weight range. Drafting into two or more lines may be appropriate to avoid excessive overdosing. Regularly check the accuracy of the drench gun. Correct drenching technique should be used.

Do not use in lambs under 20kg or under 4 weeks of age. Do not use in calves under 100kg. Do not use with milk or milk-feeders, or while calves are suckling.

DOSE RATE: 1mL/10kg liveweight to give 0.2mg/kg Abamectin, 4.5mg/kg Oxfendazole and 8.0mg/kg Levamisole HCL.

SHEEP 1 mL / 10 kg Liveweight		CATTLE 1 mL / 10 kg Liveweight	
LIVE WEIGHT	DOSE VOLUME	LIVE WEIGHT	DOSE VOLUME
Less than 20kg	Do Not Use	Less than 100kg	Do Not Use
20 kg	2 mL	100 kg	10 mL
30 kg	3 mL	150 kg	15 mL
40 kg	4 mL	200 kg	20 mL
50 kg	5 mL	250 kg	25 mL
60 kg	6 mL	300 kg	30 mL
70 kg	7 mL	350 kg	35 mL
80 kg	8 mL	400 kg	40 mL
Over 80 kg	1 mL / 10kg	450 kg	45 mL
		500 kg	50 mL
		550 kg	55 mL
		600 kg	60 mL
		650 kg	65 mL
		Over 650kg	1 mL / 10kg

### WITHHOLDING PERIODS

MILK: 35 days MEAT: Sheep 14 days MEAT: Cattle 14 days.

### STORAGE

Store in a cool dry place at room temperature (i.e. 5°C to 25°C).

### PACK SIZES

Active+ Trebel Oral is available in 20L, 10L and 5L packs.

### EFFICACY

Active+ Treble Oral contains Abamectin; a member of the Macrocytic Lactone (ML) drench family, Levamisole HCL; a member of the Levamisole (clear) drench family and Oxfendazole; a member of the Benzimidazole (white) drench family. Also contains Chelated Cobalt and Sodium Selenate. WHITE/ML/CLEAR triple combination oral drench for the treatment and control of internal parasites in sheep and cattle.

Anthelmintic resistant strains: Active+ Treble Oral Drench may be effective in some populations of gastrointestinal worms with single or dual resistance to the Avermectin/ Milbemycin, Benzimidazole or Levamisole/Morantel Anthelmintic action families.

Aids in Selenium and Cobalt supplementation.

At the recommended dose, this product is effective for the treatment and control of the following mature and immature sensitive parasites of sheep and cattle (\*includes L4 inhibited larvae):

Common Name	Genus	Sheep species	Cattle species
<b>ROUNDWORMS</b>			
<b>ABOMASUM</b>			
Barber's Pole Worm*	<i>Haemonchus*</i>	<i>contortus</i>	
Small Brown Stomach Worm*	<i>Teladorsagia*</i>	<i>circumcincta</i>	
	<i>Ostertagia*</i>		<i>ostertagi</i>
Stomach Hair Worm	<i>Trichostrongylus</i>	<i>axeii</i>	<i>axeii</i>
<b>SMALL INTESTINE</b>			
Black Scour Worm	<i>Trichostrongylus</i>	<i>colubriformis</i>	<i>longispicularis</i>
		<i>vitrinus</i>	
Small Intestinal Worm*	<i>Cooperia*</i>	<i>curticei</i>	<i>oncophora punctata</i>
Thin-Necked Intestinal Worm	<i>Nematodirus</i>	<i>filicollis</i>	<i>helvetianus</i>
		<i>spathiger</i>	
Hookworm	<i>Bunostomum</i>		<i>phlebotomum</i>
<b>LARGE INTESTINE</b>			
Large Bowel Worm	<i>Oesophagostomum</i>	<i>venulosum</i>	<i>radiatum</i>
Large-Mouthed Bowel Worm	<i>Chabertia</i>	<i>ovina</i>	
Whipworm	<i>Trichuris</i>	<i>ovis</i>	
<b>LUNGWORM</b>			
Large Lungworm	<i>Dictyocaulus</i>	<i>filaria</i>	<i>viviparus</i>

Active+ Trebel Oral is registered pursuant to the ACVM Act 1997 No. A011495.

09 274 8848 | [www.nexan.co.nz](http://www.nexan.co.nz)

Registered to:  
Nexan Corporation Limited. PO Box 217234. Botany Junction. Auckland

