

Anthem Sheep Hi Min



Name:	Anthem Sheep Hi Min
Category:	Parasite control drench
Pack Sizes/Codes:	20L
Use:	<p>A double action combination drench containing both levamisole and albendazole which is a member of the benzimidazole family.</p> <p>Combines two anthelmintics with alternative modes of action</p> <p>Prevention of selenium deficiencies.</p> <p>Includes minerals and selenium.</p> <p>Standard 12ml/5kg sheep dose rate.</p> <p>Control of BZ and levamisole resistant parasites</p>
Status:	OTC
Ingredients:	<p>37.5g/L levamisole. 23.8g/L albendazole HCl</p> <p>Each 10mL dose contains:</p> <p>5mg selenium. 2.5mg cobalt. 21mg copper</p>
Indications:	<p>For the control of sensitive mature and immature <i>Haemonchus</i>, <i>Ostertagia</i>, <i>Trichostrongylus</i>, <i>Nematodirus</i>, <i>Cooperia</i>, <i>Strongyloides</i>, <i>Bunostomum</i>, <i>Oesophagostomum</i>, <i>Chabertia</i>, <i>Trichuris</i>, <i>Dictyocaulus</i>, <i>Moniezia</i> and adult liver fluke in sheep.</p> <p>Resistance can develop to any anthelmintic. Ask your local veterinary practitioner or animal health advisor for recommended parasite management practices for your area to reduce development of resistance. It is advisable that a resistance test be conducted regularly when using any parasite treatment.</p>
Action:	A double action combination drench containing both levamisole and albendazole which is a member of the benzimidazole family. Highly effective against internal parasites sensitive to one or both of these families.
Administration:	<p>By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label. SHAKE WELL BEFORE USE</p> <p>ANTHEM® SHEEP HI MIN is a ready to use combination drench and can be given using standard drenching equipment. Drench guns should be rinsed with water immediately after use. Draft animals into lines of similar bodyweight. A representative sample of animals should be weighed before treatment. Dose rate to be based on the heaviest animal in each group. Do not underdose. Where there is a large variation in size within the group, dose rate should be based on the label direction for each weight range. Drafting into two or more lines may be appropriate, to avoid excessive overdosing. Correct drenching technique should be used. Check the accuracy of drench guns regularly.</p>

Withholding periods	<p>Milk: Milk intended for human consumption or manufacture for human consumption must be discarded during treatment and for 35 days following the last treatment.</p> <p>Meat: Animals producing meat or offal for human consumption must not be sold for slaughter either during treatment or within 10 days of the last treatment.</p>																											
Dosage:	<p>Dose at 1mL per 5kg which gives 7.5 mg/kg levamisole HCl with 4.75 mg/kg albendazole.</p> <table border="1" data-bbox="467 465 1193 801"> <thead> <tr> <th>Bodyweight</th> <th>Dose</th> <th>20L Treats</th> </tr> </thead> <tbody> <tr> <td>15kg</td> <td>3mL</td> <td>6666</td> </tr> <tr> <td>16-20kg</td> <td>4mL</td> <td>5000</td> </tr> <tr> <td>21-25kg</td> <td>5mL</td> <td>4000</td> </tr> <tr> <td>26-30kg</td> <td>6mL</td> <td>3333</td> </tr> <tr> <td>31-35kg</td> <td>7mL</td> <td>2857</td> </tr> <tr> <td>36-40kg</td> <td>8mL</td> <td>2500</td> </tr> <tr> <td>41-45kg</td> <td>9mL</td> <td>2222</td> </tr> <tr> <td>46-50kg</td> <td>10mL</td> <td>2000</td> </tr> </tbody> </table> <p>Above 50 kg add 1 mL per 5 kg bodyweight</p>	Bodyweight	Dose	20L Treats	15kg	3mL	6666	16-20kg	4mL	5000	21-25kg	5mL	4000	26-30kg	6mL	3333	31-35kg	7mL	2857	36-40kg	8mL	2500	41-45kg	9mL	2222	46-50kg	10mL	2000
Bodyweight	Dose	20L Treats																										
15kg	3mL	6666																										
16-20kg	4mL	5000																										
21-25kg	5mL	4000																										
26-30kg	6mL	3333																										
31-35kg	7mL	2857																										
36-40kg	8mL	2500																										
41-45kg	9mL	2222																										
46-50kg	10mL	2000																										
Special Precautions:	<p>May be harmful if swallowed. Causes mild skin irritation and may cause an allergic skin reaction. Suspected of causing genetic defects. May damage fertility or the unborn child. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. If medical advice is needed, have product container or label at hand.</p> <p>Handling Precautions - Avoid skin contact. Wear protective gloves. Do not breathe vapours/spray. Wash hands thoroughly after using. Wash contaminated clothing before reuse.</p> <p>First Aid - If on skin wash with plenty of soap and water. If skin irritation or rash develops or if you feel unwell contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.</p> <p>Environmental Protection - Very toxic to aquatic life with long lasting effects. Avoid contamination of any water supply with product or empty container. Harmful to the soil environment. Avoid release to the environment. Collect spillage.</p>																											
Storage:	<p>Store locked up in a cool place with lid on. Preferably dispose of product by use. Otherwise dispose of product and packaging at an approved landfill/facility. Triple rinse empty container. Recycle empty rinsed container at an approved recycling centre. Otherwise puncture or crush empty container and dispose of at an approved landfill/facility. Do not use container for any other purpose.</p>																											
Registration:	<p>Registered pursuant to the ACVM Act 1997, No. A011153</p>																											