

CALF ORAL ELECTROLYTE

DIRECTIONS

Dissolve 80g of electrolyte powder in 2 litres of clean water

USAGE RECOMMENDATIONS

Scouring Calves

- Day 1 Give 2 litres of the electrolyte solution, mixed as directed, three times daily.
Total of 6 litres (240g of electrolyte salts)
- Day 2 Give 2 litres of the electrolyte solution, mixed as directed, twice daily.
Total of 4 litres (160g of electrolyte salts)
- Day 3 Give 1 litre of the electrolyte solution, mixed as directed and one litre of milk or milk replacer.
Separate feeding of electrolyte and milk or milk replacer by a minimum of 15 minutes,
(Preferably by 4 hours)

PRECAUTIONS

1. Administer electrolytes to calves using a suitable oral dosing tube or bottle
2. Once prepared, discard unused solution after 24 hours
3. Do not use electrolyte solution to dilute milk. Diluted milk does not form a clot and may itself induce scours.
4. If withholding milk or milk replacer, reintroduce gradually over a period of 1 to 2 days
5. Consult your veterinarian if the condition persists
6. Read instructions and precautions on product label

STORAGE

Store in a cool dry place and always close container tightly after use. Protect from moisture and atmosphere. Keep out of reach of children