

## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: **Combination Cattle Drench**  
 Product Class: Combination anthelmintic for Cattle.  
 Product Use: Endoparasiticide  
 Restriction of Use: Refer to Section 15

New Zealand Manufacturer: **Jaychem Industries Ltd**  
 Address: **3 Kordel Place  
 East Tamaki, Auckland**

Telephone: +64 9 274 6647  
 Fax Number: +64 9 274 1358

**Emergency Telephone: 0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 20 May 2026

### Section 2. Hazards Identification

**This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020**

EPA Approval No: Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2020 – HSR100758

#### Pictograms



Irritant



Chronic

Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Germ cell mutagenicity Cat. 2	H341	Suspected of causing genetic defects.
Reproductive toxicity Cat. 1	H360	May damage fertility or the unborn child.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to terrestrial vertebrates	H433	Hazardous to terrestrial vertebrates

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fume, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 3.
P281	Use personal protective equipment as required.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P363	Wash contaminated clothing before reuse.
P330	Rinse mouth.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

### Section 3. Composition / Information on Ingredients

Ingredients	Weight	CAS NUMBER.
Albendazole	100g/L	54965-21-8
Levamisole hydrochloride	75g/L	16595-80-5
Sodium selenate	2.2g/L	13410-01-0

### Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. If eye irritation persists: Get medical advice.
If on Skin	Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: get medical advice/attention.
If Swallowed	Rinse mouth. Do NOT induce vomiting. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult or if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

Symptoms:

<b>Ingestion:</b>	Harmful if swallowed.
<b>Inhalation:</b>	Not applicable.

<b>Skin:</b>	May cause an allergic skin reaction.
<b>Eye:</b>	Not applicable.
<b>Chronic:</b>	Suspected of causing genetic defects. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

### Section 5. Fire Fighting Measures

<b>Hazard Type</b>	Not Flammable.
<b>Hazards from combustion products</b>	None known.
<b>Suitable Extinguishing media</b>	Use media suitable for surrounding materials.
<b>Precautions for firefighters and special protective clothing</b>	Wear protective gear. Do not allow water to enter drains.
<b>HAZCHEM CODE</b>	<b>None Allocated</b>

### Section 6. Accidental Release Measures

Wear protective equipment as detailed in Section 8. Restrict access to contaminated area.

Contain the spill and prevent further dispersion. Retrieve intact containers from site. Place damaged containers into containment devices. Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Collect spilled material and place in sealable containers for subsequent disposal. Avoid contamination of water courses or sewers.

Dispose of according to Local Regulations.

### Section 7. Handling and Storage

#### Precautions for Handling:

- Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Apply with well-maintained and calibrated equipment.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Do not breathe fume, vapours or spray.
- Avoid release into the environment.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective clothing.
- Use personal protective equipment as required.

#### Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children.
- Store locked up.

### Section 8 Exposure Controls / Personal Protection

#### WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION

## Engineering Controls

Ensure that ventilation maintains dust levels below WES.

## Personal Protection Equipment



<b>Eyes</b>	Wear goggles. Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.
<b>Hands and Skin</b>	Clothing should consist of overalls with long sleeves and impervious gloves. Wear protective goggles.
<b>Respiratory</b>	Not required. Wear respiratory protection if in an area of poor ventilation.

## Section 9 Physical and Chemical Properties

<b>Appearance</b>	Blue suspension
<b>Odour</b>	Not available
<b>Odour Threshold</b>	Not applicable
<b>pH</b>	2.5 – 4.0
<b>Boiling Point</b>	Not applicable
<b>Melting Point</b>	Not applicable
<b>Freezing Point</b>	Not applicable
<b>Flash Point</b>	Not applicable
<b>Flammability</b>	Not applicable
<b>Upper and Lower Explosive Limits</b>	Not applicable
<b>Vapour Pressure</b>	Not applicable
<b>Vapour Density</b>	Not applicable
<b>Specific Gravity</b>	1.03 – 1.07
<b>Solubilities</b>	Not applicable
<b>Partition Coefficient:</b>	Not applicable
<b>Auto-ignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	Not applicable
<b>Kinematic Viscosity</b>	Not applicable
<b>Particle Characteristics</b>	Not applicable

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	This product is stable under normal conditions.
<b>Conditions to Avoid</b>	None known.
<b>Incompatible Materials</b>	None known.
<b>Hazardous Decomposition Products</b>	No hazardous products are expected, except when heated to decomposition.

## Section 11 Toxicological Information

### Acute Effects:

Product Name: Combination Cattle Drench  
Date of SDS: 20 May 2026

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd  
Tel: 64 9 475 5240 www.techcomp.co.nz

<b>Swallowed</b>	Harmful if swallowed.
<b>Dermal</b>	Not applicable.
<b>Inhalation</b>	Not applicable.
<b>Eye</b>	Not application.
<b>Skin</b>	May cause an allergic skin reaction.

**Chronic Effects:**

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	May damage fertility or the unborn child. Albendazole may affect development and/or reproduction.
<b>Germ Cell Mutagenicity</b>	Suspected of causing genetic defects. Albendazole and Levamisole HCl possibly may cause damage to genetic material.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	Albendazole possibly may cause organ damage from repeated oral exposure at high doses. Levamisole HCl possibly may affect the blood and haematopoietic system.

Albendazole: Benzimidazoles prevent tubulin polymerization or spindle movement and their administration can result in aneuploidy. They are weak mutagens. Albendazole has low to moderate acute oral toxicity [LD50 (oral, rabbit) 500-1200mg/kg; LD50 (oral, rat) 1320-2400mg/kg; LD50 (oral, mice) >3000 mg/kg] Identified as a potential skin sensitizer by a positive result in a guinea pig maximization test. In repeated oral dose studies toxic effects included reduced weight gain, reduced erythrocyte and leucocyte counts, decreased testes and uterine weights, slight increases in relative liver and kidney weights and sterna bone marrow hypocellularity (lowest NOAEL 5mg/kg/day. Teratogenicity (visceral, craniofacial and bone defects) has been demonstrated in animal studies (lowest NOAEL was 5mg/kg/day) Levamisole HCl: Levamisole is a broad spectrum anthelmintic with a long history of use in cattle and sheep. It has a moderate to high acute toxicity [LD50(oral, rats & mice) 200-500 mg/kg] A potential mutagen [levamisole induced chromosome gaps and breaks in human lymphocytes in vitro and in vivo and levamisole hydrochloride induced an increase in mitotic index, numerical chromosomal changes (aneuploidy, polyploidy) and structural chromosomal changes] haemolytic anaemic was the main toxic effect demonstrated in repeated dose animal studies (LOAEL 1.25mg/kg/day) In humans, levamisole has been associated with various non-specific effects (nausea, vomiting, rashes). Levamisole has induced leucopenia and agranulocytosis (idiosyncratic) at low doses. Sodium selenate [LD50 (oral) 25 mg/kg]

**Section 12. Ecotoxicological Information**

Hazardous to terrestrial vertebrates  
Sodium selenate 96-hr LC50 690µ(fathead minnow)

<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	No data available
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available

**Section 13. Disposal Considerations**

**Disposal Method:** Dispose of according to Local Regulations.

**Precautions:** None known.

**Disposal methods to avoid:** None known.

**Section 14 Transport Information**

**This product is not classified as Dangerous Good for transport under NZ 5433: 2012**

**Section 15 Regulatory Information**

EPA Approval No: Veterinary Medicines (Non-dispersive Closed System Application) Group Standard 2020 – HSR100758

<b>HSW (HS) Regulations 2017</b>	<b>Trigger Quantity</b>
Certified Handlers	Not required
Location Certificate	Not required
Signage Trigger Quantities (Schedule 3)	Not required
Emergency Response Plan (Schedule 5)	1000L (Skin sensitisation Cat. 1)
Secondary Containment (Schedule 5)	1000L (Skin sensitisation Cat. 1)
Tracking (Schedule 26)	Not required
Restriction of use	Only for intended use.
<b>ACVM Act and Regulations</b>	
ACVM Approval No	A9904

**Section 16 Other Information**

**Glossary**

Cat.	Category
AWC	Aggregate water capacity.
EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

**References:**

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

**Disclaimer**

This document has been issued by TCC (NZ) Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 20 May 2026

Review Date: 20 May 20231

Product Name: Combination Cattle Drench  
Date of SDS: 20 May 2026

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd  
Tel: 64 9 475 5240 www.techcomp.co.nz