INFORMATION SHEET

Cyguard[™]

CONTROL AND TREATMENT

CYGUARD™ LIQUID is a non-stripping saturation dip which will give up to 12 weeks residual protection against flystrike caused by all the commonly found strike flies including the Australian Green Blowfly Lucilia cuprina.

BENEFITS

Insect growth regulator

Protects against all the commonly found strike flies

Can be used on all breeds of sheep

Provides long period of protection

Controls organophosphate resistant strains

No known resistance

Easy to mix

Non stripping dip

DOSE RATE

Longer term protection: (up to 12 weeks) Mix 2 litres of CYGUARD LIQUID with 1000 litres of water and apply by showering, plunge dipping or jetting. Top up at the same rate. Because this is non-stripping dip, no reinforcement is required.

Medium term protection: (up to 6 weeks) Mix 1 litre of CYGUARD LIQUID with 1000 litres of water and apply by showering or plunge dipping. *Do not use this rate for hand jetting or through spray races.*Top up at the same rate. Because this is a non-stripping dip, no reinforcement is required.

WITHHOLDING PERIODS

It is an offence for users of the product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

Milk: Milk intended for human consumption must be discarded for 35 days following treatment.

Meat: Sheep producing meat and offal for human consumption must not be slaughtered during or within 7 days of the last treatment.

WOOL RESIDUES

Ensure the time between dipping and subsequent shearing is at least two months, except in the case of spot treatment for flystrike. For advice on your dipping programme contact your supplier.

ACTIVE INGREDIENT

500 g/L Cyromazine in the form of a water soluble concentrate.

™CYGUARD is a registered Trademark Orion AgriScience Ltd.
Registered pursuant to the ACVM Act 1997, No.A011137.
See www.foodsafety.govt.nz for registration conditions.
THIS IS A GUIDE ONLY – ALWAYS REFER TO THE LABEL



