

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 27/01/2015 Revision date: 18/01/2024 Supersedes version of: 25/05/2021 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Keratex Hoof Hardener UFI : UVY2-Y0H1-800H-S086

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : A patented hardener for equine hooves

1.2.2. Uses advised against

Restrictions on use : Not Otherwise Specified

1.3. Details of the supplier of the safety data sheet

Supplier Only Representative

Keratex Hoofcare - Penleigh Irving Ltd Ltd

25 Fairwood Road

Barrettine (Europe) Ltd Ltd

Unit 3D North Point House, North Point Business Park,

Dilton Marsh New Mallow Road

BA13 3SN Westbury, Wiltshire Ireland T23 AT2P Cork United Kingdom Ireland

United Kingdom Ireland T +44 (0) 1373 827649 T +353 21 206 6530

info@keratex.com, www.keratex.com sales@barrettine.co.uk, www.barrettine.co.uk

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 3 H301
Skin corrosion/irritation, Category 1, Sub-Category 1B H314
Serious eye damage/eye irritation, Category 1 H318
Skin sensitisation, Category 1 H317
Germ cell mutagenicity, Category 2 H341
Carcinogenicity, Category 1B H350
Specific target organ toxicity – Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause cancer. Suspected of causing genetic defects. Toxic if swallowed. May cause respiratory irritation. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS05

05 GHS06

GHS08

Signal word (CLP) : Danger

Contains : aluminium chloride, anhydrous; Glycerol; methanol; formaldehyde ...%

Hazard statements (CLP) : H301 - Toxic if swallowed.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.H335 - May cause respiratory irritation.H341 - Suspected of causing genetic defects.

H350 - May cause cancer.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing fume, vapours, spray. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER, a doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER, a doctor.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

This product is not to be used under conditions of poor ventilation.

Keep away from food, drink and animal feeding stuffs.

Restricted to professional users.

2.3. Other hazards

Extra phrases

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
formaldehyde substance with a Community workplace exposure limit	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5 REACH-no: 01-2119488953- 20	≥ 5 - < 10	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aluminium chloride, anhydrous	CAS-No.: 7446-70-0 EC-No.: 231-208-1 EC Index-No.: 013-003-00-7 REACH-no: 01-2119459371-	≥ 1 – < 10	Skin Corr. 1B, H314
methanol substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	≥1-<3	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
hydrogen chloride substance with a Community workplace exposure limit	CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-00-2 REACH-no: 01-2119484862- 27	< 0.1	Press. Gas Acute Tox. 3 (Inhalation), H331 Skin Corr. 1A, H314

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
formaldehyde	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5 REACH-no: 01-2119488953- 20	$(0.2 \le C \le 100)$ Skin Sens. 1, H317 $(5 \le C < 25)$ Skin Irrit. 2, H315 $(5 \le C < 25)$ Eye Irrit. 2, H319 $(5 \le C \le 100)$ STOT SE 3, H335 $(25 \le C \le 100)$ Skin Corr. 1B, H314		
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	(3 ≤ C < 10) STOT SE 2, H371 (10 ≤ C ≤ 100) STOT SE 1, H370		

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Call a physician immediately. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe fume, mist, vapours, spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information

: Dispose of materials or solid residues at an authorised site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Do not breathe fume, mist, vapours, spray.

Hygiene measures

: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

7.3. Specific end use(s)

No additional information available

18/01/2024 (Revision date) GB - en 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

8.1.1 National occupational exposure al	nd biological limit values
hydrogen chloride (7647-01-0)	
United Kingdom - Occupational Expos	ure Limits
Local name	Hydrogen chloride
WEL TWA (OEL TWA)	2 mg/m³ gas and aerosol mists
	1 ppm gas and aerosol mists
WEL STEL (OEL STEL)	8 mg/m³ gas and aerosol mists
	5 ppm gas and aerosol mists
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
methanol (67-56-1)	
United Kingdom - Occupational Expos	ure Limits
Local name	Methanol
WEL TWA (OEL TWA)	266 mg/m³
	200 ppm
WEL STEL (OEL STEL)	333 mg/m³
	250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
formaldehyde (50-00-0)	
United Kingdom - Occupational Expos	ure Limits
Local name	Formaldehyde
WEL TWA (OEL TWA)	2.5 mg/m³
	2 ppm
WEL STEL (OEL STEL)	2.5 mg/m³
	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Protective goggles.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves

Other skin protection

Materials for protective clothing:

Wear protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Liquid Physical state : white. Colour Odour Pungent. Odour threshold : Not available Melting point : Not applicable Freezing point Not available 100 °C Boiling point Flammability Not applicable Lower explosion limit Not available Upper explosion limit Not available Flash point Not available Auto-ignition temperature Not available Decomposition temperature Not available

18/01/2024 (Revision date) GB - en 6/15

: > 7

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic : Not available Solubility : Miscible with water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 40 mm Hg Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Toxic if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Keratex Hoof Hardener			
ATE CLP (oral)	100 mg/kg bodyweight		
hydrogen chloride (7647-01-0)			
LD50 oral rat	238 mg/kg Source: HSDB		
LD50 dermal rabbit	> 5010 mg/kg Source: ECHA		
LC50 Inhalation - Rat [ppm]	0.16 – 1.4 ppm Source: HSDB		
methanol (67-56-1)			
LD50 oral rat	1187 – 2769 mg/kg bodyweight Animal: rat		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

formaldehyde (50-00-0) pH		
LD50 oral rat 460 mg/kg Source: ECHA LD50 dermal rabbit 292 mg/kg Source: GESTIS Skin corrosion/irritation ; Causes severe skin burns. pH: > 7 formaldehyde (50-00-0) pH 2.8 – 4 Serious eye damage/irritation ; Causes serious eye damage. pH: > 7 formaldehyde (50-00-0) pH 2.8 – 4 Serious eye damage/irritation ; Causes serious eye damage. pH: > 7 formaldehyde (50-00-0) pH 2.8 – 4 Respiratory or skin sensitisation ; May cause an allergic skin reaction. Germ cell mutagenicity ; Suspected of causing genetic defects. Carcinogenicity ; May cause cancer. hydrogen chloride (7647-01-0) IARC group 3 - Not classifiable formaldehyde (50-00-0) IARC group 1 - Carcinogenic to humans Reproductive toxicity ; Not classified methanol (67-56-1) NOAEL (animal/male, FO/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure ; May cause respiratory irritation. methanol (67-56-1) STOT-single exposure Causes damage to organs.	LD50 dermal rabbit	300 mg/kg Source: ECHA
LD50 dermal rabbit 292 mg/kg Source: GESTIS Skin corrosion/irritation : Causes severe skin burns. pH: > 7 formaldehyde (50-00-0) pH 2.8 - 4 Serious eye damage/irritation : Causes serious eye damage. pH: > 7 formaldehyde (50-00-0) pH 2.8 - 4 Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Suspected of causing genetic defects. Carcinogenicity : May cause cancer. hydrogen chloride (7647-01-0) IARC group 3 - Not classifiable formaldehyde (50-00-0) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified methanol (67-56-1) NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure Causes damage to organs.	formaldehyde (50-00-0)	
Skin corrosion/irritation : Causes severe skin burns. pH: > 7 formaldehyde (50-00-0) pH	LD50 oral rat	460 mg/kg Source: ECHA
formaldehyde (50-00-0) pH 28-4 Serious eye damage/irritation 28-4 Serious eye damage/irritation 38-4 Serious eye damage/irritation 38-4 Serious eye damage/irritation 38-4 Serious eye damage/irritation 38-4 Respiratory or skin sensitisation 38-4 Respir	LD50 dermal rabbit	292 mg/kg Source: GESTIS
2.8 – 4 Serious eye damage/irritation : Causes serious eye damage. pH: > 7 formaldehyde (50-00-0) pH	Skin corrosion/irritation	
Serious eye damage/irritation : Causes serious eye damage. pH: > 7 formaldehyde (50-00-0) pH	formaldehyde (50-00-0)	
formaldehyde (50-00-0) pH 2.8 – 4 Respiratory or skin sensitisation	pH	2.8 – 4
PH Respiratory or skin sensitisation Germ cell mutagenicity : Suspected of causing genetic defects. Carcinogenicity : May cause an allergic skin reaction. Germ cell mutagenicity : Suspected of causing genetic defects. May cause cancer. hydrogen chloride (7647-01-0) IARC group 3 - Not classifiable formaldehyde (50-00-0) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified methanol (67-56-1) NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure : May cause respiratory irritation. methanol (67-56-1) STOT-single exposure Causes damage to organs.	Serious eye damage/irritation	, · · · ·
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity i May cause an allergic skin reaction. Germ cell mutagenicity i May cause cancer. Mydrogen chloride (7647-01-0) IARC group IARC group IARC group IARC group IARC group I - Carcinogenic to humans Reproductive toxicity i Not classified methanol (67-56-1) NOAEL (animal/male, F0/P) STOT-single exposure Causes damage to organs.	formaldehyde (50-00-0)	
Germ cell mutagenicity : Suspected of causing genetic defects. Carcinogenicity : May cause cancer. hydrogen chloride (7647-01-0) IARC group 3 - Not classifiable formaldehyde (50-00-0) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified methanol (67-56-1) NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure : May cause respiratory irritation. methanol (67-56-1) STOT-single exposure Causes damage to organs.	рН	2.8 – 4
IARC group 3 - Not classifiable formaldehyde (50-00-0) IARC group 1 - Carcinogenic to humans Reproductive toxicity in Not classified methanol (67-56-1) NOAEL (animal/male, F0/P) STOT-single exposure Causes damage to organs.	Germ cell mutagenicity	: Suspected of causing genetic defects.
formaldehyde (50-00-0) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified methanol (67-56-1) NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure : May cause respiratory irritation. methanol (67-56-1) STOT-single exposure Causes damage to organs.	hydrogen chloride (7647-01-0)	
IARC group 1 - Carcinogenic to humans Reproductive toxicity: Not classified methanol (67-56-1) NOAEL (animal/male, F0/P): < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure: May cause respiratory irritation. methanol (67-56-1) STOT-single exposure: Causes damage to organs.	IARC group	3 - Not classifiable
Reproductive toxicity : Not classified methanol (67-56-1) NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure : May cause respiratory irritation. methanol (67-56-1) STOT-single exposure Causes damage to organs.	formaldehyde (50-00-0)	
methanol (67-56-1) NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure : May cause respiratory irritation. methanol (67-56-1) STOT-single exposure Causes damage to organs.	IARC group	1 - Carcinogenic to humans
NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male STOT-single exposure : May cause respiratory irritation. methanol (67-56-1) STOT-single exposure Causes damage to organs.	Reproductive toxicity	: Not classified
STOT-single exposure : May cause respiratory irritation. methanol (67-56-1) STOT-single exposure Causes damage to organs.	methanol (67-56-1)	
methanol (67-56-1) STOT-single exposure Causes damage to organs.	NOAEL (animal/male, F0/P)	< 1000 mg/kg bodyweight Animal: mouse, Animal sex: male
STOT-single exposure Causes damage to organs.	STOT-single exposure	: May cause respiratory irritation.
	methanol (67-56-1)	
STOT-repeated exposure : Not classified	STOT-single exposure	Causes damage to organs.
Aspiration hazard : Not classified		

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short-term : Not classified

Hazardous to the aquatic environment, long-term : Not classified

cnronic)		
hydrogen chloride (7647-01-0)		
LC50 - Fish [1]	3.25 – 3.5 mg/l Source: ECHA	
EC50 - Crustacea [1]	4.92 mg/l Source: ECHA	
EC50 72h - Algae [1]	0.492 mg/l Source: ECHA	

Safety Data Sheet

Aluminium chloride, anhydrous (74	46-70-0)
LC50 - Fish [1]	0.078 – 0.108 mg/l Source: ECHA
EC50 - Crustacea [1]	27.3 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l Test organisms (species): Lepomis macrochirus
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
formaldehyde (50-00-0)	
LC50 - Fish [1]	6.7 mg/l Test organisms (species): Morone saxatilis
EC50 - Crustacea [1]	5.8 mg/l Test organisms (species): Daphnia pulex
EC50 72h - Algae [1]	3.48 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	4.89 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	≥ 6.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 48 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'
12.2. Persistence and degradability	
Keratex Hoof Hardener	
Persistence and degradability	Not rapidly degradable

Keratex Hoof Hardener			
Persistence and degradability	Not rapidly degradable		
hydrogen chloride (7647-01-0)			
Persistence and degradability	Not rapidly degradable		
Aluminium chloride, anhydrous (7446-70-0)			
Persistence and degradability	Not rapidly degradable		
methanol (67-56-1)			
Persistence and degradability	Not rapidly degradable		
formaldehyde (50-00-0)			
Persistence and degradability	Not rapidly degradable		

12.3. Bioaccumulative potential

hydrogen chloride (7647-01-0)			
Partition coefficient n-octanol/water (Log Pow) 0.25 Source: IPCS			
Aluminium chloride, anhydrous (7446-70-0)			
Partition coefficient n-octanol/water (Log Pow)	1.26 Source: QSAR		
methanol (67-56-1)			
Partition coefficient n-octanol/water (Log Pow)	-0.77 Source: HSDB,CHemIDplus		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

formaldehyde (50-00-0)

Partition coefficient n-octanol/water (Log Pow) 0.35 Source: ECHA

12.4. Mobility in soil

methanol (67-56-1)

Mobility in soil 2.75 Source: HSDB

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID r				RID
14.1. UN number or ID r	number			
UN 1760	UN 1760	UN 1760	UN 1760	UN 1760
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, N.O.S. (formaldehyde ; methanol)	CORROSIVE LIQUID, N.O.S. (Glycerol (glycerin, glycerine); ethanol; ethyl alcohol)	Corrosive liquid, n.o.s. (Glycerol (glycerin, glycerine) ; ethanol; ethyl alcohol)	CORROSIVE LIQUID, N.O.S. (Glycerol (glycerin, glycerine); ethanol; ethyl alcohol)	CORROSIVE LIQUID, N.O.S. (Glycerol (glycerin, glycerine); ethanol; ethyl alcohol)
Transport document desci	ription			
UN 1760 CORROSIVE LIQUID, N.O.S. (formaldehyde ; methanol), 8, III, (E)	UN 1760 CORROSIVE LIQUID, N.O.S. (Glycerol (glycerin, glycerine); ethanol; ethyl alcohol), 8, III	UN 1760 Corrosive liquid, n.o.s. (Glycerol (glycerin, glycerine); ethanol; ethyl alcohol), 8, III	UN 1760 CORROSIVE LIQUID, N.O.S. (Glycerol (glycerin, glycerine); ethanol; ethyl alcohol), 8, III	UN 1760 CORROSIVE LIQUID, N.O.S. (Glycerol (glycerin, glycerine); ethanol; ethyl alcohol), 8, II
14.3. Transport hazard	class(es)			
8	8	8	8	8
B	8	8	8	8
14.4. Packing group				
III	III	III	III	III

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
4.5. Environmental ha	zards			
Dangerous for the environment: No			Dangerous for the environment: No	Dangerous for the environment: No
o supplementary information	on available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates

80 1760

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A : S-B EmS-No. (Spillage) Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C9 Special provisions (ADN) : 274

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C9
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
28.	formaldehyde	Substances which are classified as carcinogen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 1 or Appendix 2, respectively.
3(a)	methanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Keratex Hoof Hardener ; methanol ; formaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
40.	methanol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.
69.	methanol	Methanol
72.	formaldehyde	The substances listed in column 1 of the Table in Appendix 12

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Hydrochloric acid	Hydrogen chloride	7647-01-0	2806 10 00	Category 3		Annex I

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
2.2	Hazard pictograms (CLP)	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Carc. 1B	Carcinogenicity, Category 1B	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
Muta. 2	Germ cell mutagenicity, Category 2	
Press. Gas	Gases under pressure	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 1	Specific target organ toxicity – single exposure, Category 1	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.