

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: **Mectin Pour on for Cattle**
 Product Class: Anthelmintic
 Product Use: Endoparasiticide
 Restriction of Use: Refer to Section 15

New Zealand Manufacturer: **Jaychem Industries Ltd**
 Address: **3 Kordel Place
 East Tamaki, Auckland**

Telephone: +64 9 274 6647
 Fax Number: +64 9 274 1358

Emergency Telephone: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 20 May 2021 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Veterinary Medicines (Non-dispersive Open System Application) Group Standard 2020 – HSR100759

Pictograms



Toxic/Irritant Chronic Ecotoxic

Signal Word: **Warning**

GHS Classification and Category	Hazard Code	Hazard Statement
Flammable Liquids Cat. 4	H227	Combustible liquid.
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Reproductive toxicity Cat. 2	H361	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment Acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment Chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms	H423	Hazardous to soil organisms.
Hazardous to terrestrial	H433	Hazardous to terrestrial vertebrates.

vertebrates		
-------------	--	--

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective clothing.
P281	Use personal protective equipment as required.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P370 + P378	In case of fire: Use media suitable for surrounding materials.

Storage Code	Storage Statement
P405	Store locked up.
P403 + P235	Store in a well-ventilated place. Keep cool.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Abamectin	1.05	71751-41-2
Butyl Glycol Ether	>90	111-76-2
Butylated hydroxytoluene	0.1-0.5	128-37-0

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.
If on Skin	Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention.
If Swallowed	Do not induce vomiting. Wash out mouth thoroughly with water. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if needed.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: Harmful if swallowed.

Inhalation: Not applicable.

Skin: Not applicable.

Eye: Causes serious eye irritation.

Chronic: Suspected of damaging fertility or the unborn child.

May cause harm to breast-fed children.

May cause damage to organs through prolonged or repeated exposure.

Section 5. Fire Fighting Measures

Hazard Type	Combustible
Hazards from combustion products	Oxides of carbon, possible toxic fumes
Suitable Extinguishing media	Use media suitable for surrounding materials.
Precautions for firefighters and special protective clothing	Wear full protective gear.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Wear protective gear as detailed in Section 8. Evacuate all unnecessary personnel. Contain the spill and prevent further dispersion.

Do not allow to enter waterways.

Absorb spills with inert material and place in waste containers. Wash the area with water and absorb with further inert material. Collect spilled material and place in sealable containers for subsequent disposal.

Dispose of waste according to the applicable local and national regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Keep out of reach of children.
- Read label before use.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Do not breathe fumes, vapours or spray.
- Avoid contact during pregnancy/while nursing.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Wear protective clothing.
- Use personal protective equipment as required.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store locked up.

- Store in a well-ventilated place. Keep cool.
- Keep containers securely sealed.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³
Butylated hydroxytoluene [128-37-0]	-	10	-	-
Butyl glycol ether (skin) [111-76-2]	25	121	-	-

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2019 11TH EDITION.

Engineering Controls

Ensure that ventilation maintains dust levels below WES.

Personal Protection Equipment



Eyes	Wear goggles with side shields. Avoid wearing contact lenses. Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.
Skin	Clothing should consist of overalls with long sleeves and impervious gloves. Wear protective goggles.
Respiratory	Use Respiratory protection in areas of poor ventilation

Section 9 Physical and Chemical Properties

Appearance	Clear Solution
Colour	Yellow
Odour	Not available
Odour Threshold	Not available
pH	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	0.903 – 0.997
Water Solubility	Not available
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Conditions to Avoid	Not available
Incompatible Materials	Strong acids, strong bases, strong oxidizing agents
Hazardous Decomposition Products	No hazardous products are expected, except when heated to decomposition.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Harmful if swallowed.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes serious eye irritation.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Suspected of damaging fertility or the unborn child. May cause harm to breast-fed children.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated exposure.

Toxicity: Substances

Abamectin = LD50(Oral, rats) = 10mg/kg

Section 12. Ecotoxicological Information

Very toxic to aquatic life with long lasting effects.

Hazardous to soil organisms.

Hazardous to terrestrial vertebrates.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Section 13. Disposal Considerations

Disposal Method:

Spent media that has removed toxic chemicals should be examined for specific hazards. Spilled product may be recovered for use if it has not come in contact with liquids or been exposed to significant amounts of gaseous contaminants. Dispose of according to Local Regulations.

Ensure any container holding waste product or contaminated spill media is labelled "Hazardous Waste – Ecotoxic" and that the label also has the appropriate Pictograms from Section 2, waste type identifier, and the business name, address, and phone number.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

Product Name: Mectin Pour on for Cattle
Date of SDS: 20 May 2021

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Road and Rail Transport

UN No: 3082
 Class-primary 9
 Packing Group III
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Air Transport

UN No: 3082
 Class-primary 9
 Packing Group III
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S

Marine Transport

UN No: 3082
 Class-primary 9
 Packing Group III
 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S
 Marine Pollutant: Yes

Limited Quantities Statement:

If the product’s individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

EPA Approval Code: Veterinary Medicines (Non-dispersive Open System Application) Group Standard 2020 – HSR100759

HSW (HS) Regulations 2017	Trigger Quantity
Signage Trigger Quantities (Schedule 3)	100L
Emergency Response Plan (Schedule 5)	100L
Secondary Containment (Schedule 5)	100L
Tracking (Schedule 26)	Not required
HSNO Additional Controls (Restrictions of use)	
77A	The substance shall only be used as a veterinary medicine.
Hazardous Property Controls Notice 2017	
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be appropriate
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides and plant growth regulators
HPC Notice Part 4 Subpart A	Site and storage controls for class 9 substances
ACVM Act and Regulations	
ACVM Approval No	A010046

Section 16 Other Information

Glossary

Cat Category
 EC₅₀ Median effective concentration.
 EEL Environmental Exposure Limit.
 EPA Environmental Protection Authority
 HSNO Hazardous Substances and New Organisms.
 HSW Health and Safety at Work.
 LC₅₀ Lethal concentration that will kill 50% of the test organisms

LD ₅₀	inhaling or ingesting it.
LEL	Lethal dose to kill 50% of test animals/organisms.
OSHA	Lower explosive level.
TEL	American Occupational Safety and Health Administration.
TLV	Tolerable Exposure Limit.
	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, Jaychem, if further information is required.

Issue Date: 20 May 2021 Review Date: 20 May 2026