



SAFETY DATA SHEET

Paralock Abamectin Pour On

Paralock Abamectin Pour On
SDS

Issue date:13/08/2025

Review date: 13/08/2030

Section 1 – Identification of the substance/preparation and the company

Product Name: PARALOCK ABAMECTIN POUR ON
Supplier: AHD
Telephone Number: (06) 873 3611
Supplier Product Code: AHDPARALOCKABAMECTINPOURON5L
AHDPARALOCKABAMECTINPOURON10L
Recommended Use: For the treatment and control of internal parasites and external parasites in cattle.

Section 2 – Hazard Identification

Hazard Classes:



Acute oral toxicity Category 4
Eye irritation Category 2
Reproductive toxicity Category 2
Specific target organ toxicity – repeated exposure Category 2
Hazardous to the aquatic environment chronic Category 1
Hazardous to soil organisms
Hazardous to terrestrial vertebrates
Hazardous to terrestrial invertebrates

Hazard Statements:

Harmful if swallowed.
Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.
May cause harm to breast-fed children.
May cause damage to organs through prolonged or repeated exposure.
Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.
Hazardous to terrestrial vertebrates.
Hazardous to terrestrial invertebrates.

Precaution Statements:

Read label before use.
Keep out of reach from children.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection.
Avoid skin and eye contact.
Do not breathe mist/vapour/spray.
Avoid contact during pregnancy and while nursing.
Keep closed when not in use.
Wash hands and exposed skin thoroughly after handling and before meals and after use.
Do not eat, drink or smoke when using this product.

EPA NZ Approval Code
Signal Word:

HSR100759
WARNING

Section 3 – Composition Information

Chemical Entity	CAS No.	Content [%]
Abamectin	71751-41-2	1%
Diethylene glycol monobutyl ether	112-34-5	>80%

IN CASE OF EMERGENCY PHONE

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)

Version: 2.0



SAFETY DATA SHEET

Paralock Abamectin Pour On

Paralock Abamectin Pour On
SDS

Section 4 – First Aid Measures

- If Swallowed:** If swallowed do NOT induce vomiting. Rinse mouth.
- If in eyes:** If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.
- If on skin:** If skin or hair contact occurs remove contaminated clothing and flush skin and hair with running water.
- If inhaled:** Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor / physician if you feel unwell.
- Advice to Doctor:** Treat symptomatically.

IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.

POISON CENTRE CONTACT: 0800 764 766 (National Poisons Information Centre)

Section 5 – Fire-fighting Measures

- Combustion Products:** Fire decomposition products may be toxic if inhaled.
- Flammability Limits:** Not applicable.
- Protective Equipment:** Breathing apparatus, face shield or protective goggles, and neoprene rubber gloves and boots.
- Extinguishing Media:** Sprayed water jet, foam, dry chemical powder, CO₂ and sand.
- Special Fire Fighting Methods:** Do not allow water to enter drains.
- Flash point:** 110°C

Section 6 – Accidental Release Measures

- Spills and Disposal:** Spills: Call the Fire Department and alert them to the nature of the spill. Evacuate personnel to safe areas. Avoid breathing dust. Use appropriate tools to put spilt material in a suitable chemical waste container. Clean contaminated surface thoroughly. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). Wear protective gloves and face/eye protection and protective clothing. Prevent washings from entering waterways. Do NOT flush into surface water.
Disposal: Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility. Triple rinse empty container, crush or puncture and bury in a suitable landfill, or if appropriate recycle.
- Protective Equipment:** Wear protective gloves and face/eye protection and protective clothing.
- Environmental Precautions:** Very toxic to aquatic life with long lasting effects. Hazardous to soil organisms. Hazardous to terrestrial vertebrates. Hazardous to terrestrial invertebrates. Avoid release to the environment. Collect spillage. Emergency Response: In case of spillage wear appropriate protective clothing. Prevent material from entering waterways and absorb spills with inert material and place them in waste container. Wash area and absorb with further inert material

IN CASE OF EMERGENCY PHONE

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)

Version: 2.0



SAFETY DATA SHEET

Paralock Abamectin Pour On

Paralock Abamectin Pour On
SDS

Section 7– Handling and Storage

- Technical precautions:** Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.
- Safe handling advice:** Wear personal protective equipment. Use only in well ventilated areas. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do NOT ingest.
- Storage conditions:** Keep container tightly closed in dry and well-ventilated areas. Store below 25°C and away from direct sunlight.
- Incompatible Materials:** No information available

Section 8 – Exposure Controls/Personal Protection

These precautions are suggested for conditions where the potential for exposure to the product exists. Emergency conditions may require additional precautions.

- Exposure Limits:** None assigned.
- Protective Equipment:** Observe good work place practices and avoid contact with skin and eyes. Wear overalls, safety glasses and neoprene gloves when handling. Wear eye / face protection. In case of inadequate ventilation wear respiratory protection.
- Hygiene Precautions:** Do not eat, drink or smoke when using this product.
- Engineering Controls:** General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

Section 9 – Physical and Chemical Properties

- Appearance:** Clear liquid
- Odour:** Specific odour
- Specific Gravity:** 0.85-1.0
- pH:** 5-8
- Flash point:** 110°C
- Vapour Pressure:** N/A

IN CASE OF EMERGENCY PHONE

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)

Version: 2.0



SAFETY DATA SHEET

Paralock Abamectin Pour On

Paralock Abamectin Pour On
SDS

Section 10 – Stability and Reactivity

Stability:	Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Conditions to Avoid:	N/A
Materials to Avoid:	Strong oxidizing agents.
Hazardous Decomposition Products:	Carbon oxides

Section 11 – Toxicological Information

Acute effects:	Abamectin LD50 (Oral-rats) =10mg/kg LD50 (Dermal-rats) =330mg/kg
Chronic and long-term	Reproductive/ Development Effects: Rats given 0.40 mg/k/day of abamectin had increased stillbirths, decreased pup viability, decreased lactation and decreased pup weight. These data suggest that abamectin may have the potential to cause reproductive effects at high enough doses. (Source: EXTOWNET) Abamectin produced cleft palate in the offspring of treated mice and rabbits, but only at doses that were also toxic to the mothers. There were no birth defects in the offspring of rats given up to 1mg/kg/day. Abamectin is unlikely cause teratogenic effects except at doses toxic to the mother. (Source: EXTOWNET) Target Organ Effects: In a 1-year study with dogs given oral doses of abamectin, dogs at the 0.5 and 1 mg/kg/day doses exhibited pupil dilation, weight loss, lethargy, tremors, and recumbency. Similar results were seen in a 2-year study with rats fed 0.75, 1.5, or 2 mg/kg/day. Rats at all the dosage levels exhibited body weight gains significantly higher than the controls. A few individuals in the high does group exhibited tremors (Source: EXTOWNET)

Section 12 - Ecological Information

Ecotoxicity effects:	Abamectin is highly toxic to fish and extremely toxic to aquatic invertebrates. LC50 (96-hour) is 0.003mg/l in rainbow trout, 0.0096 mg/L in bluegill sunfish, 0.015 mg/L in sheepshead minnows, 0.024 mg/L in channel catfish, and 0.042 mg/L in carp. The 48-hour LC50 in Daphnia magna is 0.003 mg/L
-----------------------------	--

Section 13 – Disposal Considerations

Product Disposal:	Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations. Donaghys is a member of AgRecovery Container Recycling programme. For details on how to correctly prepare your container and collection sites please visit www.agrecovery.co.nz .
--------------------------	---

IN CASE OF EMERGENCY PHONE

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)

Version: 2.0



SAFETY DATA SHEET

Paralock Abamectin Pour On

Paralock Abamectin Pour On
SDS

Section 14 – Transport Information

Proper Shipping Name:	Environmentally Hazardous Substance, liquid, N.O.S. (Abamectin)
UN Number:	3082
DG Class:	9
Subsidiary Risk class:	None
Packing Group:	III
HAZCHEM Code:	3Z

Section 15 – Regulatory Information

ERMA NZ Registration Code:	HSR100759
NZFSA Approval Number:	See http://www.epa.govt.nz for approval conditions
	A012190
	See www.foodsafety.govt.nz for registration conditions

Section 16 – Other Information

The information in this SDS is provided in good faith, but no warranty, expressed or implied is made. Contact AHD Ltd for more information.

EMERGENCY CONTACT No.: 0800 764 766 (National Poisons Information Centre)

IN CASE OF EMERGENCY PHONE

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)

Version: 2.0